



AGGREGATE

MONOLITHOS COLLECTION





AGGREGATE

MONOLITHOS COLLECTION

Aggregate is the designers' dream tile with multiple sizes, colours and finishes. Available in SmoothGrip finish for indoor and outdoor domestic and light commercial applications and attractive Lappato finish. The colour palette is on trend. Rectified edges complete a thoroughly modern product.

AGGREGATE
WHITE



AGGREGATE
LIGHT GREY



AGGREGATE
DARK GREY



8
FACES

60x60
RANDOM

V3
MODERATE

SHADE
VARIATION

3
SIZES

60x60
30x60
30x30

2
SURFACE

SMOOTH GRIP
LAPPATO

P4
SMOOTH GRIP

SKID
RESISTANCE

≤0.1%

WATER
ABSORPTION

*Tiles may vary in sizing, weight, colour, pattern, veining, texture, durability, density, surface and finish from batch to batch. Slip ratings serve as an indication and may vary for each batch of tiles. It is recommended that a new test be performed for each batch of tiles if a slip rating certificate is required. The product images shown are for illustration purposes only and are not an exact representation of the product.

AGGREGATE

MONOLITHOS COLLECTION



8
FACES
60x60
RANDOM



V3
MODERATE
SHADE
VARIATION



3
SIZES
60x60
30x60
30x30



2
SURFACE
SMOOTH GRIP
LAPPATO




P4
SMOOTH GRIP
SKID
RESISTANCE



≤0.1%
WATER
ABSORPTION

AGGREGATE WHITE



Our new SmoothGrip finish uses the latest nano-surface technology to produce a smooth surface, with a high degree of slip resistance. This new surface provides a durable, tactile, low maintenance finish with aesthetic appeal, without sacrificing safety.


MATT⁺ -SMOOTH GRIP SURFACE



AGG WHT60MS
• Smooth grip - P4
• 60x60cm / 24"x24"
• Rectified



AGG WHT36MS
• Smooth grip - P4
• 30x60cm / 12"x24"
• Rectified



AGG WHT30MS
• Smooth grip - P4
• 30x30cm / 12"x12"
• Rectified

LAPPATO SURFACE



AGG WHT60L
• Lappato
• 60x60cm / 24"x24"
• Rectified



AGG WHT36L
• Lappato
• 30x60cm / 12"x24"
• Rectified



AGG WHT30L
• Lappato
• 30x30cm / 12"x12"
• Rectified

DECO TILES



LINEAR
• 29.8X29.8cm



ARROW
• 24.4X28.3cm



HERRINGBONE
• 24.8X29.5cm



HEXAGON
• 25.4X31.7cm



FRENCH PATTERN
• 120X120cm

AGGREGATE

MONOLITHOS COLLECTION

8
FACES

60x60
RANDOM

V3
MODERATE

SHADE
VARIATION

3
SIZES

60x60
30x60
30x30

2
SURFACE

SMOOTH GRIP
LAPPATO


P4
SMOOTH GRIP

SKID
RESISTANCE

≤0.1%

WATER
ABSORPTION

AGGREGATE WHITE



FRENCH PATTERN
► 120x120cm



AGG WHT60L
► Lappato
► 60x60cm / 24"x24"
► Rectified

AGGREGATE
MONOLITHOS COLLECTION

AGGREGATE

MONOLITHOS COLLECTION



60x60
RANDOM



SHADE
VARIATION



60x60
30x60
30x30



SMOOTH GRIP
LAPPATO



SKID
RESISTANCE



WATER
ABSORPTION

AGGREGATE LIGHT GREY



**8
FACES**



Our new SmoothGrip finish uses the latest nano-surface technology to produce a smooth surface, with a high degree of slip resistance. This new surface provides a durable, tactile, low maintenance finish with aesthetic appeal, without sacrificing safety.

MATT⁺ -SMOOTH GRIP SURFACE



AGG LGY60MS
• Smooth grip - P4
• 60x60cm / 24"x24"
• Rectified



AGG LGY36MS
• Smooth grip - P4
• 30x60cm / 12"x24"
• Rectified



AGG LGY30MS
• Smooth grip - P4
• 30x30cm / 12"x12"
• Rectified


LAPPATO SURFACE



AGG LGY60L
• Lappato
• 60x60cm / 24"x24"
• Rectified



AGG LGY36L
• Lappato
• 30x60cm / 12"x24"
• Rectified



AGG LGY30L
• Lappato
• 30x30cm / 12"x12"
• Rectified

DECO TILES



LINEAR
• 29.8X29.8cm



ARROW
• 24.4X28.3cm



HERRINGBONE
• 24.8X29.5cm



HEXAGON
• 25.4X31.7cm



FRENCH PATTERN
• 120X120cm

AGGREGATE

MONOLITHOS COLLECTION

8
FACES

60x60
RANDOM

V3
MODERATE

SHADE
VARIATION

3
SIZES

60x60
30x60
30x30

2
SURFACE

SMOOTH GRIP
LAPPATO

P4
SMOOTH GRIP

SKID
RESISTANCE

≤0.1%

WATER
ABSORPTION

AGGREGATE LIGHT GREY



AGG LGY60L + **ARROW**
► Lappato
► 60x60cm / 24"x24"
► Rectified

► 24.4x28.3cm



AGG LGY36MS
► Smooth grip - P4
► 30x60cm / 12"x24"
► Rectified

AGGREGATE
MONOLITHOS COLLECTION

AGGREGATE

MONOLITHOS COLLECTION



8
FACES
60x60
RANDOM



V3
MODERATE
SHADE
VARIATION



3
SIZES
60x60
30x60
30x30



2
SURFACE
SMOOTH GRIP
LAPPATO




P4
SMOOTH GRIP
SKID
RESISTANCE



≤0.1%
WATER
ABSORPTION

AGGREGATE DARK GREY



8
FACES



Our new SmoothGrip finish uses the latest nano-surface technology to produce a smooth surface, with a high degree of slip resistance. This new surface provides a durable, tactile, low maintenance finish with aesthetic appeal, without sacrificing safety.

MATT⁺ -SMOOTH GRIP SURFACE



AGG DGY60MS
• Smooth grip - P4
• 60x60cm / 24"x24"
• Rectified



AGG DGY36MS
• Smooth grip - P4
• 30x60cm / 12"x24"
• Rectified



AGG DGY30MS
• Smooth grip - P4
• 30x30cm / 12"x12"
• Rectified

LAPPATO SURFACE



AGG DGY60L
• Lappato
• 60x60cm / 24"x24"
• Rectified



AGG DGY36L
• Lappato
• 30x60cm / 12"x24"
• Rectified



AGG DGY30L
• Lappato
• 30x30cm / 12"x12"
• Rectified

DECO TILES



LINEAR
• 29.8X29.8cm



ARROW
• 24.4X28.3cm



HERRINGBONE
• 24.8X29.5cm



HEXAGON
• 25.4X31.7cm



FRENCH PATTERN
• 120X120cm

AGGREGATE

MONOLITHOS COLLECTION

8
FACES

60x60
RANDOM

V3
MODERATE

SHADE
VARIATION

3
SIZES

60x60
30x60
30x30

2
SURFACE

SMOOTH GRIP
LAPPATO

P4
SMOOTH GRIP

SKID
RESISTANCE

≤0.1%

WATER
ABSORPTION

AGGREGATE DARK GREY



AGG DGY60L + **AGG DGY36L**
 ▶ Lappato
 ▶ 60x60cm / 24"x24"
 ▶ Rectified

▶ Lappato
 ▶ 30x60cm / 12"x24"
 ▶ Rectified



AGG DGY60MS + **AGG DGY36MS** + **LINEAR**
 ▶ Smooth grip - P4
 ▶ 60x60cm / 24"x24"
 ▶ Rectified

▶ Smooth grip - P4
 ▶ 30x60cm / 12"x24"
 ▶ Rectified

▶ 29.8X29.8cm

AGGREGATE
MONOLITHOS COLLECTION

TECHNICAL STANDARDS _AGGREGATE

TECHNICAL CHARACTERISTICS	TEST METHOD	STANDARD	NEX-GEN
MEASUREMENT & SURFACE APPEARANCE			
LENGTH AND WIDTH	EN ISO 10545-2	±0.6%	+0.02% ~+0.03%
		±2mm	-0.1 ~+0.2mm
THICKNESS	EN ISO 10545-2	±5%	+2.2% ~+4.4%
		±0.5mm	+0.2 ~+0.4mm
STRAIGHTNESS OF SIDES	EN ISO 10545-2	±0.5%	-0.05% ~+0.02%
		±1.5mm	-0.29mm ~+0.13mm
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.1%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	2182N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm ²	45Mpa
RESISTANCE TO ABRASION	EN ISO 10545-7	REPORT TO ABRASION CLASS	Class 3
		REPORT CYCLES PASSED	1,500r
THERMAL SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECT SHOULD BE VISIBLE	PASS
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	PASS
SLIDER 96 SLIP RESISTANCE WET PENDULUM TEST SMOOTH GRIP	ACCORDING TO AS 4586:2013	-	P4
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE TO HOUSEHOLD CHEMICALS & SWIMMING POOL SALTS	EN ISO 10545-13	MINIMUM GB	GA
RESISTANCE TO STAINING	EN ISO 10545-14	MINIMUM CLASS 3	CLASS 5

PACKING DETAILS

SERIES	SIZES	PCS / CTN	M ² / CTN	KG / CTN	CTN / PLT	M ² / PLT	KG / PLT
AGGREGATE	60x60 / 24"x24"	4	1.44	31.5	40	57.6	1260
	30x60 / 12"x24"	8	1.44	31.5	40	57.6	1260
	30x30 / 12"x12" For Indent	12	1.08	23	56	60.48	1288



SHADE VARIATION



UNIFORM APPEARANCE
V1



SLIGHT APPEARANCE
V2



MODERATE APPEARANCE
V3



SUBSTANTIAL APPEARANCE
V4



PRODUCT

FOSHAN NEX-GEN BUILDING MATERIALS CO., LTD.

Unit 1409-1415, Block 2, XingFa Tower, No. 125 Jihua West Road, Chancheng District, Foshan City, Guangdong, Province, China 528000

T +86 757 8533 6182

Mobile/WhatsApp/WeChat +86 139 2993 5503

E doreen@fsmississippi.com

WWW.NEX-GENILES.COM

