

MADE IN ITALY. MADE TO EXCEL.

BOOST

NATURAL PRO

Interactive version



 **atlas concorde**

April 2024

CONCRETE LOOK

WALL TILES

Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com

INDEX

- INSPIRATION
- IMAGE GALLERY
- SURFACE RANGE & TECHNICAL SPECIFICATION



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Handcrafted effect in collaboration with **Matteo Brioni**

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



PRIMARY
DESIGN.

BOOST NATURAL PRO

BOOST NATURAL

Coffee

Lava

Skin

Coal

Cobalt

Dove

Cinder

Salt

Kashan

Ash

Ecu

Oat

Sand

Coral

Umber

2 COLLECTIONS. 15 COLOR SHADES.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





3D Wave

Original masterpiece by **Matteo Brioni**

HAND
CRAFTED
DECORS.



3D Craft

Inspiration

INDEX



INSPIRATION



IMAGE
GALLERY




SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Motion



Velvet Surface
Velve^{tech}

SURFACE	Velvet	Matte	Outdoor
TECHNOLOGY	Velve^{tech}	Sensitech	Sensitech
REFLECTION	Light shiny	Opaque	Opaque
TOUCH	Velvety	Softness	Softness
RECOMMENDED USE	Medium Traffic	Heavy Traffic	Heavy Traffic

TAILORED
TO MEET
ANY DESIRE.



Matte Surface
Sensitech



Outdoor Surface
Sensitech

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





ENDLESS
IN&OUT
SOLUTIONS.



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Image Gallery

Spa Bathroom - Salt | Cinder



Home Bathroom - Cinder | Salt



Restroom - Cinder | Salt



Hotel Bathroom
Dove | Cinder | Coffee



Dining Room - Oat | 3D Rice Oat



Living Room
Oat | Salt | Motion Coffee



Kitchen - Taupe | Sand



Villa In&Out - Cinder



Luxury Store
Sand | Lava | Motion Oat



INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Salt
Matte Senstech
120x120 cm | 47 1/2 x 47 1/2"

WALL
Boost Natural Pro
Cinder
Matte
50x120 cm | 19 1/2 x 47 1/2"

Boost Natural Pro
3D Wave Skin
Matte
50x120 cm | 19 1/2 x 47 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Boost Natural Pro
3D Wave Skin
Matte
50x120 cm | 19 5/8" x 47 1/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Cinder
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Natural Pro
Salt
Matte
50x120 cm | 19 1/4"x47 1/4"

Boost Natural Pro
3D Wave Salt
Matte
50x120 cm | 19 1/4"x47 1/4"

Boost Natural Pro
Skin
Matte
50x120 cm | 19 1/4"x47 1/4"

SINK
Atlas Concorde Habitat
Twin wall-mounted
Boost Natural
Salt

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Cinder
Matte Sensitech
120x120 cm | 47¹/₈"x47¹/₈"

WALL
Boost Natural Pro
Salt
Matte
50x120 cm | 19⁷/₈"x47¹/₈"

Boost Natural Pro
3D Wave Salt
Matte
50x120 cm | 19⁷/₈"x47¹/₈"

Boost Natural Pro
Skin
Matte
50x120 cm | 19⁷/₈"x47¹/₈"

SINK
Atlas Concorde Habitat
Twin wall-mounted
Boost Natural
Salt

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Cinder
Matte-Sensitech
120x120 cm | 47 1/2 x 47 1/2"

WALL
Boost Natural Pro
3D Craft Salt
Matte
50x120 cm | 19 1/2 x 47 1/2"

Boost Natural Pro
Salt
Matte-Sensitech
50x120 cm | 19 1/2 x 47 1/2"

SINKS | Freestanding
Atlas Concorde Habitat
Calacatta Marmiglia
Salt
66x50x85 cm | 25 7/8 x 19 3/8 x 33 1/2"

SIDE TABLE | Conlatto
Atlas Concorde Habitat
Black Atlantic
Polished
ø 45 cm | 17 3/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Boost Natural Pro
3D Craft Salt
Matte
50x120 cm | 19 5/8" x 47 1/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Dove
Matte Senotech
120x120 cm | 47 1/2"x47 1/2"

WALL
Boost Natural Pro
Cinder
Matte
50x120 cm | 19 1/2"x47 1/2"

Boost Natural Pro
Coffee
Matte
50x120 cm | 19 1/2"x47 1/2"

Boost Natural Pro
3D Craft Cinder
Matte
50x120 cm | 19 1/2"x47 1/2"

MASTERTOP
Atlas Concorde Habitat
Cinder
Matte
160x50x12 cm | 63"x19 1/2"x4 1/2"

INDEX

INSPIRATION

IMAGE GALLERY

SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE RANGE & TECHNICAL SPECS

ENJOY THE VIDEO



FLOOR
Boost Natural Pro
Dove
Matte Sensitech
120x120 cm | 47 1/8"x47 1/8"

WALL
Boost Natural Pro
Cinder
Matte
50x120 cm | 19 5/8"x47 1/8"

Boost Natural Pro
Coffee
Matte
50x120 cm | 19 5/8"x47 1/8"

Boost Natural Pro
3D Craft Cinder
Matte
50x120 cm | 19 5/8"x47 1/8"

MASTERTOP
Atlas Concorde Habitat
Cinder
Matte
160x50x12 cm | 63"x19 5/8"x47 1/8"



INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Oat
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Pro
3D Rice Oat
Matte
50x120 cm | 19¹/₈"x47¹/₄"

DINING TABLE | Incontro 75
Atlas Concorde Habitat
Desert Soul
Polished
100x240 cm | 39¹/₈"x94¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Boost Natural Pro
3D Rice Oat
Matte
50x120 cm | 19⁵/₈"x47¹/₈"

DINING TABLE | Incontro 75
Atlas Concorde Habitat
Desert Soul
Polished
100x240 cm | 39³/₈"x94¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Oak
Matta Sematuch
120x120 cm | 47 1/2 x 47 1/2"

WALL
Boost Natural Pro
Oak
Matta
120x270 cm | 47 1/2 x 109 1/2"

Boost Natural Pro
Motion Coffee
Matt
50x120 cm | 19 1/2 x 47 1/2"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Pier di Bosco
Oak
ø 70 cm | 27 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Oat
Matte Sensitech
120x120 cm | 47 1/8"x47 1/8"

WALL
Boost Natural Pro
Salt
Matte
120x278 cm | 47 1/8"x109 1/2"

Boost Natural Pro
Motion Coffee
Matte
50x120 cm | 19 5/8"x47 1/8"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Oat
Matte Sensitech
120x120 cm | 47 1/8" x 47 1/4"

WALL
Boost Natural Pro
Salt
Matte
120x278 cm | 47 1/8" x 109 1/2"

Boost Natural Pro
Motion Coffee
Matte
50x120 cm | 19 5/8" x 47 1/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Pro
Taupe
Hammered
160x320 cm | 63"x126"

WALL
Boost Natural Pro
Sand
Hammered
162x324 cm | 63³/₄"x127¹/₂"

COUNTERTOP
Atlas Plan
Sand
Hammered
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Pro
Taupe
Hammered
160x320 cm | 63"x126"

WALL
Boost Natural Pro
Sand
Hammered
162x324 cm | 63³/₄"x127¹/₂"

COUNTERTOP
Atlas Plan
Sand
Hammered
162x324 cm | 63³/₄"x127¹/₂"



INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





OUTDOOR FLOOR
Boost Balance Pro
Cinder
Outdoor Sensitech 3-20mm
120x120 cm | 47/4"x47/4"

Boost Balance Pro
Cinder
Elemento L Outdoor Sensitech 3-20mm
33x120 cm | 13"x47/4"

Boost Balance Pro
Cinder
Alzata Outdoor Sensitech 3-20mm
20x120 cm | 7/4"x47/4"

INDOOR FLOOR
Boost Balance Pro
Cinder
Matta Sensitech
120x120 cm | 47/4"x47/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Balance Pro
Cinder
Outdoor Sensitech ± 20mm
120x120 cm | 47 1/8"x47 1/8"

Boost Balance Pro
Cinder
Elemento L Outdoor Sensitech ± 20mm
33x120 cm | 13"x47 1/8"

Boost Balance Pro
Cinder
Alzata Outdoor Sensitech ± 20mm
20x120 cm | 7 7/8"x47 1/8"

Boost Balance Pro
Cinder
Round Outdoor Sensitech ± 20mm
33x120 cm | 13"x47 1/8"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Sant
Matte Sandtech
120x120 cm | 47 1/2"x47 1/2"

WALL
Boost Natural Pro
Lava
Matte
50x120 cm | 19 1/2"x47 1/2"

Boost Natural Pro
Motion Oak
Matte
50x120 cm | 19 1/2"x47 1/2"

SIDE TABLE | Costaflo
Atlas Concorde Habitat
Black Lava
Leathered
ø 45 cm | 17 3/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Boost Natural Pro
Motion Oat
Matte
50x120 cm | 19 7/8" x 47 1/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Sand
Velvet Velvetouch
120x120 cm | 47 1/2"x47 1/2"

WALL
Boost Natural Pro
Oak
Matto
120x275 cm | 47 1/2"x109 1/2"

Boost Natural Pro
Lava
Matto
50x120 cm | 19 1/2"x47 1/2"

Boost Natural Pro
3D Rice Oak
Matto
50x120 cm | 19 1/2"x47 1/2"

FURNITURE
Atlas Plan
Sand
Honeywood
160x324 cm | 63 1/4"x127 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Sand
Velvet Velvetech
120x120 cm | 47 1/4" x 47 1/4"

WALL
Boost Natural Pro
Oat
Matte
120x278 cm | 47 1/4" x 109 1/2"

Boost Natural Pro
3D Rice Oat
Matte
50x120 cm | 19 5/8" x 47 1/4"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Natural Pro
Sand
Velvet Velvetech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Pro
Oat
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Natural Pro
Lava
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FURNITURE
Atlas Plan
Sand
Hammered
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



SPA BATHROOM
HOME BATHROOM
RESTROOM
HOTEL BATHROOM
DINING ROOM
LIVING ROOM
KITCHEN
VILLA IN&OUT
LUXURY STORE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ◇ BOOST NATURAL PRO RANGE
- ◇ SENSITECH & VELVETECH TECHNOLOGY
- ◇ BOOST NATURAL + PRO BOOST NATURAL
- ◇ TECHNICAL SPECIFICATIONS
- ◇ BOOST WORLD

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

			Sand	Oat	Salt	Cinder	Dove
Floor	Wall	Bathroom furniture					
120x278 cm - 47 1/8" x 109 1/2"	± 6 mm		Matte	Matte	Matte	Matte	Matte
120x120 cm - 47 1/8" x 47 1/8"	± 9 mm		Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech
60x120 cm - 23 5/8" x 47 1/8"	± 9 mm		Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech
60x60 cm - 23 5/8" x 23 5/8"	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
30x60 cm - 11 7/8" x 23 5/8"	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
Outdoor							
120x120 cm - 47 1/8" x 47 1/8"	± 9 mm		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
60x120 cm - 23 5/8" x 47 1/8"	± 9 mm		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
120x120 cm - 47 1/8" x 47 1/8"	± 20 mm			Outdoor Sensitech		Outdoor Sensitech	
60x120 cm - 23 5/8" x 47 1/8"	± 20 mm			Outdoor Sensitech		Outdoor Sensitech	
60x60 cm - 23 5/8" x 23 5/8"	± 20 mm			Outdoor Sensitech		Outdoor Sensitech	
Slabs for countertops and furniture							
162x324* cm - 63 3/4" x 127 1/2"	± 12 mm		Hammered				
* Non rectified Non rettificato							
* Atlas Plan							

Wall tiles

WALL TILES - Revestimenti - Revêtements - Wandfliesen - Revestimientos - Нарезная керамика
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

			Oat	Salt	Cinder	Coffee	Lava	Skin
Wall								
50x120 cm - 19 5/8" x 47 1/8"	± 8,5 mm		Matte	Matte	Matte	Matte	Matte	Matte
50x120 cm - 19 5/8" x 47 1/8" 3D Rice	± 8,5 mm		Matte	Matte	Matte			
50x120 cm - 19 5/8" x 47 1/8" 3D Wave	± 8,5 mm		Matte	Matte	Matte			Matte
50x120 cm - 19 5/8" x 47 1/8" 3D Craft	± 8,5 mm		Matte	Matte	Matte			
50x120 cm - 19 5/8" x 47 1/8" Motion	± 8,5 mm		Matte			Matte		

Sensitech pag.70 **Velvetech** pag.71

Note on Velvet surface finish / Nota sulla finitura Velvet

The Velvet surface replicates the effect of polished concrete. It has a velvety touch and semi-opaque highlights. The natural character of the surface is highlighted by areas of different opacity perceptible in oblique or reflected light. Suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. If the product is in direct contact with the outdoors, solutions that absorb moisture and dirt must be used to prevent scratching. La superficie Velvet replica l'effetto di un cemento lucidato. Si distingue per la mano vellutata e per i riflessi semi-opachi. La naturalezza della superficie è evidenziata da zone di diversa opacità percepibili in luce radente o riflessa. Indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non sono richieste prestazioni antiscivolo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

Destination of use

M Matte ± 6 mm
Velvet [Velvetech](#) ± 8 mm

H Matte [Sensitech](#) ± 9 mm
Grip [Sensitech](#) ± 9 mm
Outdoor [Sensitech](#) ± 20 mm

Anti-slip

BP A Matte ± 6 mm
BP A-B Matte [Sensitech](#) ± 9 mm
BP C Grip [Sensitech](#) ± 9 mm
BP C Outdoor [Sensitech](#) ± 20 mm

Color-shading

V2 Style Variation
All colors




3D Rice

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocaltbro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocaltbre - Ретифицированный в одном калибре

V2 Slight Variation
All colors



Boost Natural Pro 3D Rice Oat
50x120 cm - 19 5/8"x47 1/4"



Boost Natural Pro 3D Rice Salt
50x120 cm - 19 5/8"x47 1/4"




Boost Natural Pro 3D Rice Ouder
50x120 cm - 19 5/8"x47 1/4"



3D Craft

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocaltbro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocaltbre - Ретифицированный в одном калибре

V2 Slight Variation
All colors



Boost Natural Pro 3D Craft Oat
50x120 cm - 19 5/8"x47 1/4"



Boost Natural Pro 3D Craft Salt
50x120 cm - 19 5/8"x47 1/4"



Boost Natural Pro 3D Craft Ouder
50x120 cm - 19 5/8"x47 1/4"



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



3D Wave

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

V2 Slight Variation
All colors



Boost Natural Pro 3D Wave Oat
50x120 cm - 19 7/8"x47 1/4"



Boost Natural Pro 3D Wave Salt
50x120 cm - 19 7/8"x47 1/4"



Boost Natural Pro 3D Wave Cinder
50x120 cm - 19 7/8"x47 1/4"



Boost Natural Pro 3D Wave Skin
50x120 cm - 19 7/8"x47 1/4"



50x120 cm
19 7/8"x47 1/4"

± 8,5 mm



V2 Slight Variation
All colors

Motion

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



50x120 cm
19 7/8"x47 1/4"


± 8,5 mm



Boost Natural Pro Motion Oat
50x120 cm - 19 7/8"x47 1/4"



Boost Natural Pro Motion Coffee
50x120 cm - 19 7/8"x47 1/4"



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS




BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO




Trim tiles

Porcelain trim tiles




✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione.

Wall trim tiles



Outdoor trim tiles ± 20 mm



* Available in / Disponibile in Oak, Cinder
✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione.
* Right-left angular elements are available / Sono disponibili gli elementi angolari dx/sx

Outdoor Porcelain tiles ± 20 mm

For further details on the 10mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation - please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa ivi, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde.



THANKS TO



Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest price list. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultima lista aggiornata e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковке и весах обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les couleurs et les caractéristiques esthétiques des matériaux illustrées dans le catalogue sont données à titre purement indicatif. - Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики материалов, представленных в настоящем каталоге являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva il diritto di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient découler de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отказывая при этом любой ответственности за прямые или косвенные убытки, повреждения и результаты изменений.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS




BOOST NATURAL PRO RANGE
SENSETECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



Sensitech



Traditional anti-slip surface

The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.



Velvetechn



Velvetechn tecnologia

Sensitech tecnologia

Velvetechn is the new technology with an Italian patent inspired by the effect of sanding on the surface. Velvetechn has silk-like reflections and a velvety soft hand. The naturalness of the surface is emphasised by areas of different opacity that contribute to the depth of the surface.

Velvetechn è la nuova tecnologia con brevetto depositato in Italia ispirata all'effetto della levigatura sulla superficie. Velvetechn si presenta con riflessi che ricordano la seta e una mano vellutata e morbida. La naturalezza della superficie è evidenziata da zone di diversa opacità che contribuiscono a dare profondità alla superficie.



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



BOOST NATURAL PRO + BOOST NATURAL RANGE



BOOST NATURAL RANGE

SALT BOOST NATURAL PRO Porcelain & Wall Tile	KAOLIN BOOST NATURAL Porcelain & Wall Tile	OAT BOOST NATURAL PRO Porcelain & Wall Tile	SAND BOOST NATURAL PRO Porcelain	CINDER BOOST NATURAL PRO Porcelain & Wall Tile	DOVE BOOST NATURAL PRO Porcelain	ASH BOOST NATURAL Porcelain & Wall Tile	SKIN BOOST NATURAL PRO Wall Tile	CORAL BOOST NATURAL Porcelain	ECRU BOOST NATURAL Porcelain & Wall Tile	COFFEE BOOST NATURAL PRO Wall Tile	UMBER BOOST NATURAL Porcelain
COAL BOOST NATURAL Porcelain	LAVA BOOST NATURAL PRO Wall Tile	COBALT BOOST NATURAL Porcelain	MOTION OAT BOOST NATURAL PRO Wall Tile	MOTION COFFEE BOOST NATURAL PRO Wall Tile	3D WAVE SALT BOOST NATURAL PRO 3D Wall Tile	3D WAVE KAOLIN BOOST NATURAL 3D Wall Tile	3D WAVE OAT BOOST NATURAL PRO 3D Wall Tile	3D WAVE CINDER BOOST NATURAL PRO 3D Wall Tile	3D WAVE ASH BOOST NATURAL 3D Wall Tile	3D WAVE SKIN BOOST NATURAL PRO 3D Wall Tile	3D WAVE ECRU BOOST NATURAL 3D Wall Tile
3D RICE SALT BOOST NATURAL PRO 3D Wall Tile	3D RICE OAT BOOST NATURAL PRO 3D Wall Tile	3D RICE CINDER BOOST NATURAL PRO 3D Wall Tile	3D CRAFT SALT BOOST NATURAL PRO 3D Wall Tile	3D CRAFT OAT BOOST NATURAL PRO 3D Wall Tile	3D CRAFT OAT BOOST NATURAL PRO 3D Wall Tile	3D BRUSHED KAOLIN BOOST NATURAL 3D Wall Tile	3D BRUSHED ASH BOOST NATURAL 3D Wall Tile	3D BRUSHED ECRU BOOST NATURAL 3D Wall Tile	3D TEXTURE KAOLIN BOOST NATURAL 3D Wall Tile	3D TEXTURE ASH BOOST NATURAL 3D Wall Tile	3D TEXTURE ECRU BOOST NATURAL 3D Wall Tile

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSITECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO





Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group IIIa
Compliant with standards ISO 13006 annex L group IIIa
Conforma alla norma EN 14411 Appendice G gruppo IIIa
Conforma alla norma ISO 13006 Appendice L gruppo IIIa

Gres porcellanato - Rettificato monocalibro

120x120 cm - 47 1/8" x 47 1/8" ± 6 mm
120x120 cm - 47 1/8" x 47 1/8" ± 9 mm
60x120 cm - 23 3/8" x 47 1/8" ± 9 mm
60x60 cm - 23 3/8" x 23 3/8" ± 9 mm
30x60 cm - 11 7/8" x 23 3/8" ± 9 mm

120x120 cm - 47 1/8" x 47 1/8" ± 20 mm
60x120 cm - 23 3/8" x 47 1/8" ± 20 mm
60x60 cm - 23 3/8" x 23 3/8" ± 20 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensioni nominali N		Porcelain tiles					
		7 cm x N x 15 cm	N x 15 cm	Matte ± 5 mm	Matte Sensatech ± 5 mm	Velvet Velvetech ± 9 mm	Grip Sensatech ± 3 mm	Outdoor Sensatech ± 10 mm	Wall tiles
 Length and width Lunghezza e larghezza Thickness Spessore	ISO 10545-2	± 0,9 (°) Non rect. ± 0,4 (°) Rect.	± 0,5 (°) Non rect. ± 0,3 (°) Rect.	± 2,0 (°) Non rect. ± 1,0 (°) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		± 0,5 (**)	± 0,5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		± 0,8 (***)	± 0,5 (***)	± 1,5 (***)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
 Straightness of sides Rettifinità degli spigoli Rectangularity (Measurement only on short edges when L/1 ≥ 3) Ortogonali (Misurazione da condurre solo sui lati corti quando L/1 ≥ 3)	ISO 10545-2	± 0,4 (***)	± 0,3 (***)	± 1,0 (***)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,8 (***)	± 0,5 (***)	± 1,0 (***)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		± 0,4 (***)	± 0,3 (***)	± 1,0 (***)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
 Surface flatness Planarità	ISO 10545-2	c.c. ± 0,1 Non rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non rect. c.c. ± 1,0 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		s.c. ± 0,1 Non rect. s.c. ± 0,6 Rect.	s.c. ± 0,5 Non rect. s.c. ± 0,4 Rect.	s.c. ± 2,0 Non rect. s.c. ± 1,0 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		w. ± 0,8 Non rect. w. ± 0,4 Rect.	w. ± 0,5 Non rect. w. ± 0,4 Rect.	w. ± 2,0 Non rect. w. ± 1,0 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
 Water absorption (n% by mass) Messa d'acqua assorbibile (come % della massa)	ISO 10545-3 ASTM C137	E ₁ ≤ 0,5% Individual Maximum 0,6% E ₂ ≤ 0,5% Value maximum single 0,6%		± 0,1%	± 0,1%	± 0,1%	± 0,1%	± 0,1%	S
		Requirement ANSI A137.1 Water absorption max ≤ 0,5%		± 0,5%	± 0,5%	± 0,5%	± 0,5%	± 0,5%	
		S ≤ 100N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≤ 1200N (for thickness > 7,5 mm - per spessore > 7,5 mm) D ≤ 15 N/mm ²		± 1000 N	± 1000 N	± 500 N	± 1000 N	± 6000 N	
 Breaking strength Rottura a flessione	ISO 10545-4	S ≤ 100N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≤ 1200N (for thickness > 7,5 mm - per spessore > 7,5 mm) D ≤ 15 N/mm ²		± 1000 N	± 1000 N	± 500 N	± 1000 N	± 6000 N	S
		S ≤ 100N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≤ 1200N (for thickness > 7,5 mm - per spessore > 7,5 mm) D ≤ 15 N/mm ²		± 1000 N	± 1000 N	± 500 N	± 1000 N	± 6000 N	
		S ≤ 100N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≤ 1200N (for thickness > 7,5 mm - per spessore > 7,5 mm) D ≤ 15 N/mm ²		± 1000 N	± 1000 N	± 500 N	± 1000 N	± 6000 N	
 Modulus of rupture Resistenza alla flessione	EN 1289 Annex F	S ≤ 100N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≤ 1200N (for thickness > 7,5 mm - per spessore > 7,5 mm) D ≤ 15 N/mm ²		± 1000 N	± 1000 N	± 500 N	± 1000 N	± 6000 N	S
		S ≤ 100N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≤ 1200N (for thickness > 7,5 mm - per spessore > 7,5 mm) D ≤ 15 N/mm ²		± 1000 N	± 1000 N	± 500 N	± 1000 N	± 6000 N	
		S ≤ 100N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≤ 1200N (for thickness > 7,5 mm - per spessore > 7,5 mm) D ≤ 15 N/mm ²		± 1000 N	± 1000 N	± 500 N	± 1000 N	± 6000 N	
 Bending strength and breaking load Resistenza a flessione e al carico di rottura (N/5)	ISO 10545-5	Declared value Valore dichiarato		± 0,5%	± 0,5%	± 0,5%	± 0,5%	± 0,5%	S
		Declared value Valore dichiarato		± 0,5%	± 0,5%	± 0,5%	± 0,5%	± 0,5%	
		Declared value Valore dichiarato		± 0,5%	± 0,5%	± 0,5%	± 0,5%	± 0,5%	
 Impact resistance, as coefficient of restitution Resistenza all'urto, espresso come coefficiente di restituzione	ISO 10545-6	Declared value Valore dichiarato		± 150 mm ²	± 150 mm ²	± 150 mm ²	± 150 mm ²	± 150 mm ²	S
		Declared value Valore dichiarato		± 150 mm ²	± 150 mm ²	± 150 mm ²	± 150 mm ²	± 150 mm ²	
		Declared value Valore dichiarato		± 150 mm ²	± 150 mm ²	± 150 mm ²	± 150 mm ²	± 150 mm ²	
 Resistance to drop abrasion of angular tiles (ground volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-8	Declared value Valore dichiarato		± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	S
		Declared value Valore dichiarato		± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	
		Declared value Valore dichiarato		± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	
 Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato		± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	S
		Declared value Valore dichiarato		± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	
		Declared value Valore dichiarato		± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	± 79K ¹	
 Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1		Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	S
		Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1		Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	
		Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1		Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	
 Moisture expansion (in mm/m) Dilatazione allungata (in mm/m)	ISO 10545-10	Declared value Valore dichiarato		± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	S
		Declared value Valore dichiarato		± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	
		Declared value Valore dichiarato		± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	± 0,01% (0,1mm/m)	
 Frost resistance Resistenza al gelo	ISO 10545-10	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1		Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	S
		Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1		Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	
		Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1		Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	Resistant Resistente	
 Bond strength / adhesion for Cementitious Adhesives Adesione mediante malte di cemento	EN 12004-2	Declared value Valore dichiarato		± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	S
		Declared value Valore dichiarato		± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	
		Declared value Valore dichiarato		± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	± 10 N/mm ² (Class C2 - EN 12004)	
 Reaction to fire Reazione al fuoco	-	Class A1 or A1 _s Classe A1 oppure A1 _s		A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	S
		Class A1 or A1 _s Classe A1 oppure A1 _s		A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	
		Class A1 or A1 _s Classe A1 oppure A1 _s		A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	
 Resistance to household chemicals and swiveling pool balls Resistenza ai prodotti chimici di uso domestico e agli sballini per piscina	ISO 10545-13	Minimum Class B Classe minima B		A	A	A	A	A	S
		Minimum Class B Classe minima B		A	A	A	A	A	
		Minimum Class B Classe minima B		A	A	A	A	A	
 Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali	ISO 10545-13	Declared Class Classe dichiarata		1A	1A	1A	1A	1A	S
		Declared Class Classe dichiarata		1A	1A	1A	1A	1A	
		Declared Class Classe dichiarata		1A	1A	1A	1A	1A	
 Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali	ISO 10545-13	Declared Class Classe dichiarata		1A	1A	1A	1A	1A	S
		Declared Class Classe dichiarata		1A	1A	1A	1A	1A	
		Declared Class Classe dichiarata		1A	1A	1A	1A	1A	
 Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata		S	S	S	S	S	S
		Declared Class Classe dichiarata		S	S	S	S	S	
		Declared Class Classe dichiarata		S	S	S	S	S	
 Shoof Ramp Test Metodo della rampa "calce"	UN EN 1305 ANNEX B (EX CEN 1305)	Declared value Valore dichiarato		10	10	N.C.	10	10	S
		Declared value Valore dichiarato		10	10	N.C.	10	10	
		Declared value Valore dichiarato		10	10	N.C.	10	10	
 Barfoot Ramp Test Metodo della rampa a piedi nudi	UN EN 1305 ANNEX A (EX CEN 1305)	Declared value Valore dichiarato		A	A-B	0	A-B-C	A-B+C	S
		Declared value Valore dichiarato		A	A-B	0	A-B-C	A-B+C	
		Declared value Valore dichiarato		A	A-B	0	A-B-C	A-B+C	
 Pendulum Friction Test Metodo del Pendolo	UN EN 1305 ANNEX C (EX CEN 1305)	Declared value Valore dichiarato		10	10	N.C.	10	10	S
		Declared value Valore dichiarato		10	10	N.C.	10	10	
		Declared value Valore dichiarato		10	10	N.C.	10	10	
 Coefficient of friction (COF) Coefficiente di attrito	R-12A Slip, CEN	DIN EN 1305 ANNEX C (EX CEN 1305)		10	10	N.C.	10	10	S
		DIN EN 1305 ANNEX C (EX CEN 1305)		10	10	N.C.	10	10	
		DIN EN 1305 ANNEX C (EX CEN 1305)		10	10	N.C.	10	10	
 Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 328.3	DIN EN 1305 ANNEX C (EX CEN 1305)		10	10	N.C.	10	10	S
		DIN EN 1305 ANNEX C (EX CEN 1305)		10	10	N.C.	10	10	
		DIN EN 1305 ANNEX C (EX CEN 1305)		10	10	N.C.	10	10	

(°) The permissible deviation, in °, or mm, of the average size for each tile (2 or 4 sides) from work size (NPS). Deviazione ammissibile, in °, oppure mm, delle dimensioni medie di ogni piastrella (2 oppure 4 lati) dalle dimensioni di fabbricazione (NPS).


(**) The permissible deviation, in °, or mm, of the average thickness for each tile from the work size thickness (NPS). Deviazione ammissibile, in °, oppure mm, dello spessore medio di ogni piastrella dalla spessore di lavoro (NPS).

(***) The maximum permissible deviation from rectangularity, in °, or mm, related to the corresponding work size (NPS). Deviazione massima ammissibile di rettangolarità, in °, oppure mm, in rapporto alle dimensioni di fabbricazione (NPS) corrispondenti.

(c.c.) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work size (NPS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di

BOOSTWORLD

BOOST PRO BOOST NATURAL BOOST NATURAL PRO BOOST STONE BOOST MIX BOOST MINERAL BOOST BALANCE BOOST COLOR



Boost your style

Boost World is a design tool that combines ceramic surfaces in their inspiration, style, and tone, allowing for coordinated solutions in any space.

Boost World è uno strumento progettuale che coniuga in un'unica prospettiva superfici ceramiche differenti per ispirazione ma affini per stile e tonalità, consentendo soluzioni coordinate in ogni destinazione d'uso.

DISCOVER
BOOST WORLD



Ethical identity



MADE IN ITALY

For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali



Product certifications / Certificazioni di prodotto



Product declarations / Dichiarazioni di prodotto



Declare.

Certification for buildings / Rating dell'edificio



Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.

Certifications for export to international markets*



atlasconcorde.com

csfb.fr



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilità d'espéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Возможность международной экспорта продукции, даже на рынках со сложными таможенными процедурами, такая как Египет, Марокко, Курдистан, благодаря активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

* Classificazione UPEC aggiornata al 1° Dicembre UPEC n° 6 per aprile 2024.

* Si consiglia la consultazione della pagina - On vira conseil de voir la page - https://database.csfb.fr/tilecertificates?Id=ETH-20948/Applicat-GES?

* Per ulteriori informazioni scrivere a - Pour plus renseignements complémentaires écrire à: francesca@atlasconcorde.it

* Tutti i prodotti Atlas Concorde si può porcellanato e in maiolicatura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL, e possono contribuire all'ottenimento del rating LEED V4 degli edifici.

All Atlas Concorde porcelain tiles and single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL, and can contribute to the achievement of the LEED V4 rating for buildings.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST NATURAL PRO RANGE
SENSETECH & VELVETECH
TECHNOLOGY
BOOST NATURAL +
PRO BOOST NATURAL
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO





atlasconcorde.com

Copyright 2024 by Ceramiche Atlas Concorde S.p.A.
(41042 Spazzano di Fiorano (MO) - Italia)
April 2024