

Nextone.



LEA
CERAMICHE

P R () T E C T[®]

ANTIBATTERICO - ANTIMICROBIAL

Questa collezione è realizzata
con l'esclusiva tecnologia antibatterica Protect[®].

This collection is made with the exclusive
antimicrobial Protect[®] technology.

with **MICROBAN[®]**



think zero[®]
L I M I T E C H

Questa è una collezione che comprende materiali ultrasottili e sostenibili,
con impatti ambientali ridotti ed emissioni di CO₂
totalmente compensate dalla partecipazione a progetti internazionali
di abbattimento della CO₂ nelle città più inquinate.

This is a collection that includes ultra-thin and sustainable materials,
with reduced environmental impact and CO₂ emissions
totally compensated by the participation in international projects
of CO₂ reduction in the most polluted cities.

CO₂ Neutral

Nextone.

01.	Introduction	04
02.	Colors	08
02a.	Variations	10
02b.	Decors	14
02c.	Mosaics	16
03.	The Collection	18
03a.	Next Gray	20
03b.	Next Taupe	32
03c.	Next Dark	42
03d.	Next White	54
03e.	Outdoor	62
04.	Info	68
	Slimtech	70
	Think Zero	72
	Protect	74
	Color range	76
	Sizes	86
	Item codes	90
	Technical characteristics	94
	Packing	96
	Certifications	97
	Intended uses - key	97
	Overview	100

LEA
CERAMICHE



01.

Il segno essenziale.
Materia ceramica che
abita lo spazio.

The essential signature.
Ceramic matter
that lives in space.

Introduction.

Un effetto pietra appositamente ingegnerizzato: è quello che Lea Ceramiche propone con Nextone. Pietre provenienti da quattro diverse cave, combinate in modo inedito, ne creano una nuova, non esistente in natura, dall'estetica naturale ed equilibrata.

I quattro colori della collezione esprimono tonalità neutre, che spaziano dal candido White al luminoso Gray, dall'accogliente Taupe all'elegante Dark, un antracite con una punta di marrone.

Nextone è una collezione articolata in tre tecnologie produttive e in altrettanti spessori: un sistema decorativo pieno di risorse, con una gamma di formati, colori e decori in grado di misurarsi con ogni tipologia di progetto architettonico.

With Nextone, Lea Ceramiche offers a specially engineered stone effect. Various types of stone from four different quarries, combined in an original way, create a new stone that does not exist in nature and that boasts a natural and balanced aesthetic.

The collection's four colours express neutral tones, ranging from pure White to bright Gray and from welcoming Taupe to elegant Dark, a charcoal grey with a hint of brown.

Nextone is a collection divided into three manufacturing technologies and as many thicknesses: a resourceful decorative system with a range of formats, colours and decorations that can compete with any type of architectural design.



02.



Colori Slimtech / Slimtech Colors

- 01. Next Gray
- 02. Next White
- 03. Next Taupe
- 04. Next Dark

Materiale / Material
Gres porcellanato laminato /
Laminated porcelain stoneware
6mm

Finiture / Finishes
nat

Formati / Sizes
120x120cm 48" x48"
120x260cm 48" x102"



Colori Gres / Stoneware Colors

- 01. Next Gray
- 02. Next White
- 03. Next Taupe
- 04. Next Dark

Materiale / Materials
Gres porcellanato /
Porcelain stoneware
9mm

Finiture / Finishes
nat
lapp
grip


Formati / Sizes
120x120cm 48" x48"
90x90cm 36" x36"
45x90cm 18" x36"
60x120cm 24" x48"
60x60cm 24" x24"
30x60cm 12" x24"

Formati speciali /
Special sizes
Gamma 72
49,8x14,5cm 19^{1/2}" x5^{45/64}"

Gres spessorato L2 /
Extra thick porcelain
stoneware L2
20mm

Formati / Sizes
60x120cm 24" x48"
60x60cm 24" x24"

Colors.





Varianti / Variations

- 01. Line
- 02. Dot
- 03. Mark

Finiture / Finishes

nat

Materiale / Material

Gres porcellanato /
Porcelain stoneware
9mm


Line, Dot e Mark sono le tre varianti sui fondi in finitura naturale declinate sui quattro colori della serie, che riproducono graficamente lavorazioni tipiche della pietra e texture del mondo tessile. Si integrano con le tonalità del fondo dando l'illusione di un rilievo, in realtà perfettamente pulibile. Ricreano leggeri effetti materici combinabili alle finiture naturale e lappata dei moduli di base.

Line, Dot and Mark are the three background variations with a natural finish available in the series' four colour tones, which graphically reproduce traditional stone processing and the look and feel of textiles. These are integrated with the colour tones of the background giving the illusion of texture while actually being perfectly easy to clean. They recreate subtle tactile effects which can be combined with the natural and honed finishes of the basic modules.

Formati / Sizes

60x60cm 24" x24"
30x60cm 12" x24"

02a.



02b.



Decori Slimtech /
Slimtech Decors

- 01. Graf Next Gray
- 02. Graf Next Dark
- 03. Graf Next Taupe

Materiale / Material
Gres porcellanato laminato /
Laminated porcelain stoneware
6mm

Finiture / Finishes
nat



Formati / Sizes
120x260cm 48" x102"

In questo decoro eclettico e discontinuo tracce di pattern geometrici affiorano dalla pietra, evocando graffiti rupestri che sembrano provenire dal futuro. Disponibile in grandi lastre Slimtech e in tre colori, Graf contamina in modo creativo lo spirito minerale della collezione con codici prettamente umani.

In this eclectic and discontinuous decoration, traces of geometric patterns emerge from the stone, evoking rock carvings that seem to come from the future. Available in large Slimtech slabs and in three colours, Graf creatively contaminates the collection's mineral spirit with purely human codes.

Lea Ceramiche

Decors.





Mosaici / Mosaics

- 01. Mosaico 144
- 02. Mosaico Mix
- 03. Muretto

Materiale / Material
Gres porcellanato /
Porcelain stoneware
9mm

Formato / Size

- Mosaico 144
30x30 cm 12" x12"
- Muretto
30x60 cm 12" x24"
- Mosaico Mix
30x30 cm 12" x12"

I mosaici decorativi: Muretto, Mosaico Mix e Mosaico 144 sono proposti nei quattro colori della collezione. Geometrie, ispirazioni ed effetti di grande impatto da scegliere in base all'ambiente e allo stile del progetto.

Decorative mosaics: Muretto, Mosaico Mix and Mosaico 144 are proposed in the four colours of the collection. Geometrical shapes, stimuli and surfaces with great impact to choose from according to the setting and the style of the project.



03. The Collection.



03a.

Next Gray.

FLOOR
Next Gray 60x120 nat
WALL
Mark Next Gray 30x60
Gamma 72 Next Gray





FLOOR
Next Gray 60x120 nat
WALL
Gamma 72 Next Gray

Nextone

24 — 25



Next Gray 60x120 nat

Lea Ceramiche



Next Gray 90x90 lapp



Mark Next Gray 30x60



Slimtech Nextstone

30 — 31

Lea Ceramiche

FLOOR
Next Gray 120x120

WALL
Next Gray 120x260
Grat Next Dark 120x260

DESK
Next Dark 120x260



FLOOR
Next Gray 120x120
WALL
Next Dark 120x260

Lea Ceramiche

03b.

Nextone propone una pietra ceramica unica e originale, per scenari che le estese superfici rese possibili dalle lastre di Slimtech imprimono nella memoria. È quello che accade in questo concept store, dall'audace contrasto tra la forza quasi ancestrale dell'effetto pietra e il ricercato design di arredi e complementi.

Nextone offers a unique and original ceramic stone for settings which the extensive surfaces, made possible by Slimtech slabs, imprint on your memory. This is what happens in this concept store, which features a bold contrast between the almost ancestral strength of the stone effect and the sophisticated design of the furnishings and accessories.

Lea Ceramiche


Next Taupe.

FLOOR
Next Taupe 120x120
WALL
Next Taupe 120x260

34 — 35

Slimtech Nextone





Slimtech Nexttone

34 — 37

Lea Ceramiche

FLOOR
Next Taupe 120x120

WALL

Next Taupe 120x260



Mosaico Mix Next Taupe

Nextone

38 — 39



Mosaico 144 Next Taupe


Lea Ceramiche

Grigio con una nota di marrone chiaro, Next Taupe regala alle superfici un calore avvolgente, morbido e materico. Un'atmosfera di intimo relax ideale in tutti ambienti del vivere contemporaneo.

Grey with a slight touch of brown, Next Taupe gives surfaces an enveloping, soft and material warmth. An atmosphere of intimate relaxation, ideal for any contemporary living environment.

WALL
Next Taupe 30x60 nat
Mosaico 144 Next Taupe
Mosaico Mix Next Taupe
FLOOR
Next Taupe 60x60 nat





Lea Ceramiche

42 ——— 43

Nextone

03c.

Next Dark.

Next Dark esprime eleganza e personalità, creando un ambiente dalle tonalità scure dove si stagliano i colori dei complementi d'arredo. Adatto a originali contesti abitativi così come a spazi commerciali di design.

Next Dark expresses elegance and personality, creating an environment with dark shades where the colours of the furnishing accessories stand out. Suitable for unconventional living contexts as well as commercial space design.


Lea Ceramiche


44 — 45

Line Next Dark 30x60

Nextone

SA
BR
NE





Line Next Dark 30x60



WALL
Line Next Dark 60x60

FLOOR
Dot Next Dark 60x60



Graf Next Dark 120x260

Lea Ceramiche

48 — 49

Slimtech Nextone



Slimtech Nextstone

50 — 51

Lea Ceramiche

FLOOR
Next Dark 120x120
WALL
Next Dark 120x260

Un grande living, ricco di chiaroscuri, che attorno al temperamento materico delle lastre di Next Dark costruisce un ambiente dall'eleganza discreta. La finitura nat del pavimento Slimtech stempera la luce del giorno in un riverbero morbido e diffuso.

A large living room, characterized by light and dark effects, which creates a discreetly elegant environment around the material temperament of the Next Dark slabs. The honed finish of the 120x120 Slimtech floor tones down daylight with a soft and diffused effect.

Next Dark 120x120





Next Dark 60x60 lapp

03d.

Next White.

Una full immersion di luce che riempie l'habitat quotidiano. Next White è la cromia che imprime a pareti e pavimentazioni la calda freschezza della pietra, ampliando lo spazio circostante. Un colore versatile che dona armonia cromatica ad ogni ambiente.

A full immersion of light that fills the daily habitat.

Next White is the colour scheme that gives walls and floors the warm freshness of stone, expanding the surrounding space. A versatile colour that gives chromatic harmony to any environment.

Lea Ceramiche

FURNITURE
Next White 120X260

FLOOR
Next White 90X90 nat



Perfettamente coordinabile col pavimento in gres porcellanato, Slimtech riveste il grande mobile cucina e l'isola centrale, facendone i protagonisti indiscussi dell'ambiente. L'estensione della lastra sottile esalta il fascino di Nextone, una sorta di pietra ideale nata dalla calibrata sintesi di più riferimenti naturali.

Perfectly coordinated with the porcelain stoneware floor, Slimtech covers the large kitchen cabinet and the central island, making them the room's standout features. The extension of the slim slab enhances the charm of Nextone, a kind of ideal stone created from the calibrated synthesis of several natural references.

FURNITURE
Next White 120X260

FLOOR
Next White 90X90 nat



FLOOR
Next White 60x120 nat
WALL
Dot Next White 30x60



03e.

Outdoor.

Nextone conquista le pavimentazioni degli spazi esterni grazie alle eccezionali performance della gamma L2 in 20 mm di spessore. Resistenza e durezza in un affascinante effetto pietra: un must in ogni contesto outdoor.

Disponibile in due formati Nextone L2 può essere posata a secco su erba, ghiaia e sistemi sopraelevati; oppure incollata su massetto nelle aree carrabili. Una soluzione completa per dare agli spazi esterni un originale effetto pietra: intensamente naturale, resistente, antiscivolo e inalterabile nel tempo.

Nextone conquers the flooring of outdoor spaces thanks to the 20mm thick L2 range which guarantees great technical characteristics. Resistance and durability with a fascinating stone effect, a must for outdoor settings.

Available in two formats, Nextone L2 can be laid dry on grass, gravel and raised systems; or glued on screed in driveway areas. A complete solution to give outdoor spaces an original stone effect: intensely natural, resistant, non-slip and durable.





Next Grey L2 60x120 grfp

Lea Ceramiche




Next Taupe L2 60x120 grfp Next Dark L2 60x60 grfp



Next Gray L2 60x120 grfp

04.

Info.



Dot Next White 30x60



Lastre ceramiche sottili di qualità superiore.

Superior quality thin porcelain slabs.



MASSIMI STANDARD QUALITATIVI E PRESTAZIONALI.
Highest standards in quality and performance.



LASTRE SUPERCOMPATTE ED ELASTICHE.
Highly compact and elastic slabs.



RESA ESTETICA ECCELLENTE.
Excellent aesthetic look.




STRAORDINARIA EXTRA-RESISTENZA.
Extraordinary added resistance.



SOSTENIBILITÀ AMBIENTALE ELEVATA.
Highly eco-friendly.




IDEALE PER RISTRUTTURARE SENZA DEMOLIRE.
Ideal for renovation without demolition.



6mm

Sottili e resistenti.
Thin and resistant.



3.5mm - 5.5mm

Ultrasottili e ultrasistenti. Con fibra di vetro.
Ultra-thin and ultra-resistant. With fibreglass mesh.

Lea Ceramiche



Formati / sizes

50x100

100x100

60x120

120x120

120x260

120x278

100x300

FORMATI / SIZES / FORMATS / FORMATS / FORMATS (CM)

70 — 71

Nexttone

THINK ZERO

Lastre ceramiche nate per essere sostenibili

Ceramic slabs born to be sustainable

CO₂ NEUTRAL

THINK ZERO È LA RIVOLUZIONE PER UNA CERAMICA SOSTENIBILE

Le lastre ceramiche ultrasottili riducono gli impatti ambientali senza ridurre le performance.

THINK ZERO IS THE REVOLUTION FOR SUSTAINABLE CERAMIC TILES
The ultra-thin ceramic slabs reduce environmental impacts without reducing performance.



NON SOLO MENO SPESSORE

ridotto fino ad un massimo di 3 mm.

LESS THICKNESS
to maximum 3 mm.



-65%
del consumo di
materie prime
less raw materials



-80%
del fabbisogno
di acqua
less water



-30%
delle emissioni di CO₂
in atmosfera
less CO₂ emitted into the
atmosphere



-30%
del fabbisogno
di energia
less energy



-66%
dell'inquinamento
generato da trasporto
less pollution generated
from transport

+

100%

DELLE EMISSIONI DI CO₂ COMPENSATE** (13,14 kg/mq)

Alta resistenza, alte prestazioni, massima sostenibilità e nessun compromesso.

COMPENSATION OF CO₂ EMISSIONS** (13,14 kg/sqm)

High resistance, outstanding performance, ultimate sustainability and no compromises.

* I dati fanno riferimento a un prodotto a spessore sottile, confrontato con un grés porcellanato di spessore tradizionale. / The data refers to ultra-thin slabs when compared to standard-thickness porcelain stoneware tile.

** Dalla partecipazione a progetti internazionali di abbattimento delle CO₂ nelle città più inquinate. Scopri di più su panarigroup.it/think-zero. / From participation in international projects of reduction of CO₂ in the most polluted cities. Learn more on panarigroup.it/en/think-zero.



SLIMTECH



panarigroup.it/think-zero

P R () T E C T ®

Per un abitare sano, sicuro e protetto.

Pavimenti e rivestimenti antibatterici ad altissime performance.

TO LIVE HEALTHILY, SAFE AND SECURE.

Antimicrobial floor and wall coverings with the highest performance.



1. AZIONE POTENTE.

Elimina i batteri e ne impedisce la proliferazione.

POWERFUL ACTION.

Eliminates microbes and prevents their reproduction.



2. PROTEZIONE CONTINUA.

Sempre attivo, 24 ore su 24, con e senza luce solare.

CONTINUOUS PROTECTION.

Always active, 24 hours a day, with and without sunlight.



3. EFFICACIA ETERNA.

Grazie alla tecnologia integrata in modo permanente nel prodotto.



ETERNAL EFFECTIVENESS.

Thanks to the technology permanently integrated into the product.

with **MICROBAN**®

Lea Ceramiche

protect.panariagroup.it



Colori / Colors

Next White



Next Gray




Next Taupe





Next Dark



Varianti Gres / Stoneware Variations



Varianti Gres / Stoneware Variations




Decori Slimtech / Slimtech Decors

Graf




Next Gray A





Next Gray B



Next Gray C



Next Taupe A



Next Taupe B



Next Taupe C




Decori Slimtech / Slimtech Decors

Graf




Next Dark A



Next Dark B



Next Dark C




Formati Slimtech / Slimtech Sizes ^{REF}



Gres porcellanato laminato
/Laminated porcelain stoneware
Spessore/thickness: 6mm



120x120cm
48" x 48"
NAT



120x260cm
48" x 102"
NAT

Finiture / Finishes

Nat



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial


Decori Slimtech / Slimtech Decors



Graf


Next Gray
Next Taupe
Next Dark

Graf A




120x260cm
48" x 102"

Graf B



120x260cm
48" x 102"

Graf C




120x260cm
48" x 102"

Formati Gres / Stoneware Sizes ^(EPT)




Gres porcellanato / Porcelain stoneware Spessore/thickness: 9mm

P R O T E C T
AMBIENTALE - ANTIBATTERICO



*Spessore/thickness: 20mm




* Protezione antibatterica non presente
No antimicrobial protection

Varianti / Variations ^(EPT)



Dot

Next Gray
Next Taupe
Next Dark
Next White



Line

Next Gray
Next Taupe
Next Dark
Next White



Mark

Next Gray
Next Taupe
Next Dark
Next White



Finiture / Finishes

Nat



residenziale
residential



commerciale leggero
light commercial



commerciale intenso
intensive commercial



residenziale
residential



commerciale leggero
light commercial



commerciale intenso
intensive commercial



esterno
outdoor


Lapp

Grip

Formati speciali / Special sizes

Gamma 72

Next Gray
Next Taupe
Next Dark
Next White



Mosaici / Mosaics


Muretto

Next Gray
Next Taupe
Next Dark
Next White



Mosaico Mix*

Next Gray
Next Taupe
Next Dark
Next White



Mosaico 144

Next Gray
Next Taupe
Next Dark
Next White



*superfici mbate: nat + dot + line + mark. / Mixed surfaces: nat + dot + line + mark

Fondi / Plain tiles

	Next White	Next Gray	Next Taupe	Next Dark
120x260cm 48" x102"	LS6NX30	LS6NX10	LS6NX20	LS6NX00
120x120cm 48" x48"	LS8NX30	LS8NX10	LS8NX20	LS8NX00
120x120cm 48" x48"	LS8NXP3	LS8NXP1	LS8NXP2	LS8NXP0
120x120cm 48" x48"	LG8NX30	LG8NX10	LG8NX20	LG8NX00
60x120cm 24" x48"	LGXNX30	LGXNX10	LGXNX20	LGXNX00
	LAPP	LGXNXL3	LGXNXL1	LGXNXL0
	NAT	LGWNX30	LGWNX10	LGWNX20
	LAPP	LGWNL3	LGWNL1	LGWNL0
60x60cm 24" x24"	LGWNL3	LGWNL1	LGWNL2	LGWNL0
	GRIP	LGWNX35	LGWNX15	LGWNX05
30x90cm 12" x36"	NAT	LGVNX30	LGVNX10	LGVNX20
	LAPP	LGVNL3	LGVNL1	LGVNL0
90x90cm 36" x36"	NAT	LG9NX53	LG9NX51	LG9NX50
	LAPP	LG9NX3	LG9NX1	LG9NX0
45x90cm 18" x36"	NAT	LGGNX53	LGGNX51	LGGNX50
	LAPP	LGGNX3	LGGNX1	LGGNX0
60x120cm 24" x48"	GRIP	LGXNX63	LGXNX61	LGXNX60
60x60cm 24" x24"	GRIP	LGWNX93	LGWNX91	LGWNX90

Decori / Decors

	Next White	Next Gray	Next Taupe	Next Dark
Graf A	120x260cm 48" x102"	LS6NX1A	LS6NX2A	LS6NX0A
Graf B	120x260cm 48" x102"	LS6NX1B	LS6NX2B	LS6NX0B
Graf C	120x260cm 48" x102"	LS6NX1C	LS6NX2C	LS6NX0C

Varianti / Variations

	Next White	Next Gray	Next Taupe	Next Dark
Dot	LGVNX53	LGVNX51	LGVNX52	LGVNX50
	30x60cm 12" x24"	LGWNX53	LGWNX52	LGWNX50
	60x60cm 24" x24"	LGVNX63	LGVNX62	LGVNX60
Line	30x60cm 12" x24"	LGWNX63	LGWNX62	LGWNX60
	60x60cm 24" x24"	LGVNX73	LGVNX72	LGVNX70
Mark	30x60cm 12" x24"	LGWNX73	LGWNX72	LGWNX70
	60x60cm 24" x24"			

Formati speciali / Special sizes

	Next White	Next Gray	Next Taupe	Next Dark
Granita 72 49,8x144,8 19,7"x57,4"	LGZNXL03	LGZNXL01	LGZNXL02	LGZNXL00
	NAT			

Mosaici / Mosaics

	Next White	Next Gray	Next Taupe	Next Dark
Muretto	30x60cm 12" x24"	LG9NX03	LG9NX02	LG9NX00
Mosaico Mix*	30x30 cm 12" x12"	LG9NX23	LG9NX22	LG9NX20
Mosaico 144	30x30 cm 12" x12"	LG9NX13	LG9NX12	LG9NX10

*superfici mixate: nat + dot + line + mark / Mixed surfaces: nat + dot + line + mark

Pezzi Speciali / Trims

Spessore/thickness: 9mm

gres porcellanato

Sezione gradino 4cm / 1 5/8"	Next White	Next Gray	Next Taupe	Next Dark
Battiscopa 5,5x60cm 2 1/8"x24" rett	LGRNX30	LGRNX10	LGRNX20	LGRNX00
Gradino Plus* 35x120cm 13 3/8"x48" rett	LGRNXL3	LGRNXL1	LGRNXL2	LGRNXL0
Angolo dx Gradino Plus* 35x120cm 13 3/8"x48" rett	LAPP	LGDNX30	LGDNX20	LGDNX00
Angolo sx Gradino Plus* 35x120cm 13 3/8"x48" rett	LAPP	LGDNX60	LGDNX70	LGDNX50
Angolo dx Gradino Plus* 35x120cm 13 3/8"x48" rett	NAT	LGDNX31	LGDNX21	LGDNX01
Angolo sx Gradino Plus* 35x120cm 13 3/8"x48" rett	LAPP	LGDNX81	LGDNX71	LGDNX51
Gradino Plus* 35x60cm 13 3/8"x24" rett	NAT	LGDNX32	LGDNX22	LGDNX02
Angolo Gradino Plus* 35x60cm 13 3/8"x24" rett	LAPP	LGDNX82	LGDNX72	LGDNX52
Gradino Plus* 35x60cm 13 3/8"x24" rett	GRIP	LG9NXG3	LG9NXG2	LG9NXG0
Angolo Gradino Plus* 35x60cm 13 3/8"x24" rett	GRIP	LG9NXA3	LG9NXA2	LG9NXA0

Pezzi Speciali / Trims

Spessore/thickness: 20mm

LZ

Next White	Next Gray	Next Taupe	Next Dark
Griglia* 15x60cm 6"x24" rett	LGINX30	LGINX10	LGINX00
Griglia Angolare sx* 15x60cm 6"x24" rett	GRIP	LGINX20	LGINX02
Griglia Angolare dx* 15x60cm 6"x24" rett	GRIP	LGINX22	LGINX01
Costa Toro* 30x60cm 12"x24" rett	GRIP	LGINX31	LGDNXF2
Costa Toro Angolare sx* 30x60cm 12"x24" rett	GRIP	LGDNXF3	LGDNXF0
Costa Toro Angolare dx* 30x60cm 12"x24" rett	GRIP	LGDNXB7	LGDNXB1
Costa Toro Angolare sx* 30x60cm 12"x24" rett	GRIP	LGDNXB3	LGDNXB5
Costa Toro Angolare dx* 30x60cm 12"x24" rett	GRIP	LGDNXB6	LGDNXB4
Costa Retta* 30x60cm 12"x24" rett	GRIP	LGDNXC3	LGDNXC2
Costa Retta Angolare sx* 30x60cm 12"x24" rett	GRIP	LGDNXC1	LGDNXC0
Costa Retta Angolare dx* 30x60cm 12"x24" rett	GRIP	LGDNXA7	LGDNXA5
Costa Retta Angolare sx* 30x60cm 12"x24" rett	GRIP	LGDNXCA3	LGDNXA1
Costa Retta Angolare dx* 30x60cm 12"x24" rett	GRIP	LGDNXA6	LGDNXA4
Costa Toro Step* 30x60cm 12"x24" rett	GRIP	LGDNXJ3	LGDNXJ2
Costa Retta Step* 30x60cm 12"x24" rett	GRIP	LGDNXG3	LGDNXG2
Costa Retta con Gocciolatoio* 30x60cm 12"x24" rett	GRIP	LGDNXH3	LGDNXH2
Costa Toro con Gocciolatoio* 30x60cm 12"x24" rett	GRIP	LGDNXY3	LGDNXH0
Costa Retta con Gocciolatoio* 30x60cm 12"x24" rett	GRIP	LGDNXA1	LGDNXY0

* Su richiesta. Per maggiori informazioni circa quantità minime e tempi di consegna rivolgersi all'ufficio commerciale. / Upon request. For more information about minimum quantities and delivery times please contact the sales department.

Caratteristiche tecniche / Technical characteristics



Gres porcellanato laminato /Laminated porcelain stoneware SLIMTECH 6mm	Conforme/according to: ISO 13006 G (Gruppo/Group Bla) EN 14411 G (Gruppo/Group Bla) ANSI A137.3 (Gauged porcelain slabs)	Metodo di prova /Test method	Requisiti prescritti /Required values	Valori medi /Average values
Assorbimento d'acqua /Water absorption	ISO 10545-3 ASTM C373	≤ 0.5%		0.1%
Resistenza a flessione /Modulus of rupture	ISO 10545-4 ASTM C1505	≥ 35 N/mm ² ≥ 6.000 PSI		50 N/mm ² ≥ 6.000 PSI
Resistenza all'abrasione profonda /Resistance to deep abrasion	ISO 10545-6 ASTM C1243	≤ 175 mm ³	Conforme/Compliant	
Dilatazione termica lineare /Linear thermal expansion	ISO 10545-8 ASTM C372	Requisito non previsto/No provision Requisito non previsto/No provision		α ≤ 7x10 ⁻⁶ °C ⁻¹ α ≤ 4.4x10 ⁻⁶ °F ⁻¹ / α ≤ 8x10 ⁻⁶ °C ⁻¹
Resistenza alle macchie /Stain resistance	ISO 10545-14 ASTM C1378	Classe/Class 3 Min. Come indicato dal produttore /As indicated by manufacturer		5 Resistente/Resistant A Resistente/Resistant
Resistenza all'attacco chimico* /Chemical resistance	ISO 10545-13 ASTM C650	Come indicato dal produttore /As indicated by manufacturer Come indicato dal produttore /As indicated by manufacturer		LA-HA Resistente/Resistant A Resistente/Resistant
Resistenza al gelo /Frost resistance	ISO 10545-12 ASTM C1026	Nessuna alterazione/No alteration Come indicato dal produttore /As indicated by manufacturer		Resistente/Resistant Resistente/Resistant
Resistenza allo scivolamento /Slip resistance	DIN EN 16665 - Annex B BCR-TORTUS ANSI A326.3	— — —		R10 μ > 0.40 ID - DCOF_{0.42} (Dry) - NAT IW - DCOF_{0.42} (Wet) - NAT
Reazione al fuoco /Fire reaction	EN 13823 EN 9239-1	CPR (UE) 305/2011, 2000/147/CE, UNI EN 13501-1		Classe/Class A1 (wall) Classe/Class A ₁ (floor)
Diffusione di fiamma /Flame spread	ASTM E84	—		Classe/Class A
Stonizzazione /Shade variation	ANSI A137.3	Come indicato dal produttore /As indicated by manufacturer		V3 Variazioni moderate / Moderate variation

Fuga minima consigliata: vedi Manuale Tecnico Slimech/minimum suggested joint: refer to Slimech Technical Manual.
*Ad esclusione dell'acido fluoridrico e derivati/excluding hydrofluoric acid and its derivatives

Caratteristiche tecniche / Technical characteristics



Gres porcellanato / Porcelain stoneware EN 14411 G (Gruppo/Group Bla) ANSI A137.1 Porcelain tiles (P1 Class)	Metodo di prova /Test method	Requisiti prescritti /Required values	Valori medi /Average values
Assorbimento d'acqua /Water absorption	ISO 10545-3 ASTM C373	≤ 0.5%	0.05%
Sforzo di rottura S /Breaking strength	ISO 10545-4 ASTM C1505	≥ 1300 N/mm ² ≥ 250 lbf	1.800 N 9mm 13.600 N 20mm 400 lbf 9mm 2.800 lbf 20mm
Resistenza a flessione /Modulus of rupture	ISO 10545-4	≥ 35 N/mm ²	50 N/mm ²
Resistenza all'abrasione profonda /Resistance to deep abrasion	ISO 10545-6 ASTM C1243	≤ 175 mm ³	145 mm ³
Dilatazione termica lineare /Linear thermal expansion	ISO 10545-8 ASTM C372	Requisito non previsto/No provision Requisito non previsto/No provision	α ≤ 7x10 ⁻⁶ °C ⁻¹ α ≤ 4.4x10 ⁻⁶ °F ⁻¹ / α ≤ 8x10 ⁻⁶ °C ⁻¹
Resistenza alle macchie /Stain resistance	ISO 10545-14 ASTM C1378	Classe/Class 3 Min. Come indicato dal produttore /As indicated by manufacturer	5 Resistente/Resistant A Resistente/Resistant
Resistenza all'attacco chimico* /Chemical resistance	ISO 10545-13 ASTM C650	Come indicato dal produttore /As indicated by manufacturer Come indicato dal produttore /As indicated by manufacturer	LA-HA Resistente/Resistant A Resistente
Resistenza al gelo /Frost resistance	ISO 10545-12 ASTM C1026	Nessuna alterazione/No alteration Come indicato dal produttore /As indicated by manufacturer	Resistente/Resistant Resistente
Resistenza allo scivolamento /Slip resistance	DIN EN 16665 - Annex B DIN EN 16665 - Annex A BCR-TORTUS ANSI A326.3	— — — —	R10 (Nat) / R11 (Grip - 20mm) A+B (Nat) / A-B+C (Grip - 20mm) μ > 0.40 (Nat - Grip - 20mm) ID - DCOF_{0.42} (Dry) - (Nat - Lapp) IW - DCOF_{0.42} (Wet) - (Nat - Lapp) EW - (Grip - 20mm)
Reazione al fuoco /Fire reaction	EN 13823 EN 9239-1	CPR (UE) 305/2011, 2000/147/CE, UNI EN 13501-1	Classe / Class A1 (wall) Classe / Class A ₁ (floor)
Diffusione di fiamma /Flame spread	ASTM E84	No provision	Class A
Fuga minima consigliata (**) recommended minimum joint (**)	INDOOR OUTDOOR	— —	2mm 5mm circa/ approx.
Stonizzazione /Shade variation	ANSI A137.1	Come indicato dal produttore /As indicated by manufacturer	V4 Variazioni sostanziali /Substantial variation

(*) ad esclusione dell'acido fluoridrico e derivati / excluding hydrofluoric acid and its derivatives

(**) salvo diversa indicazione dei Codici di Pesca Nazionali. La larghezza delle fughe deve comunque essere decisa dalla Direzione Lavori.
the width of grout joints must be established by the installation supervisor, unless grout widths are regulated by national laying standards

(***) Ad eccezione delle zone caratterizzate da un maggior rischio di scivolamento (come docce pubbliche, piscine coperte, ecc.) per le quali si consiglia una superficie Grip / With the exception of areas characterized by a higher risk of slipping (such as public showers, indoor swimming pools, etc.) for which a Grip surface is recommended

Imballi / Packing

Destinazioni d'uso Slimtech / Slimtech intended uses



Posa a pavimento
Floor installation



Posa a parete
Wall installation

Articolo	Scatola			Pallet		
	cm	inch	pz.	mq	kg	scat.
Fondo	120x120	48" x 48"	1	3,12	44,0	18
Fondo	120x260	48" x 102"	1	3,12	44,0	18
Fondo	60x60	24" x 24"	4	1,44	29,7	32
Fondo	30x60	12" x 24"	8	1,44	31,8	32
Fondo	90x90	36" x 36"	2	1,62	33,6	25
Fondo	45x90	18" x 36"	3	1,22	25,2	32
Fondo	49,8x16,9	19 1/2" x 6 3/8"	14	1,01	21,9	32
Fondo	30x60	12" x 24"	4	0,72	15,6	30
Fondo	30x30	12" x 12"	5	0,45	9,5	60
Fondo	30x30	12" x 12"	5	0,45	9,5	60
Fondo	5,5x60	2 1/8" x 24"	12	7,2 mL	8,5	50
Fondo	35x120	13 3/4" x 48"	1	0,42	11,0	64
Fondo	35x120	13 3/4" x 48"	1	0,42	11,8	16
Fondo	35x60	13 3/4" x 24"	2	0,42	10,1	32
Fondo	35x35	13 3/4" x 13 3/4"	2	0,25	6,4	36
Fondo (20mm)	60x60	24" x 24"	2	0,72	32,5	32
Fondo (20mm)	60x120	24" x 48"	1	0,72	32,5	36



Articolo	Scatola			Pallet		
	cm	inch	pz.	mq	kg	scat.
Fondo	120x120	48" x 48"	1	1,44	31,8	32
Fondo	60x120	24" x 48"	2	1,44	31,8	36
Fondo	60x60	24" x 24"	4	1,44	29,7	32
Fondo	30x60	12" x 24"	8	1,44	31,8	32
Fondo	90x90	36" x 36"	2	1,62	33,6	25
Fondo	45x90	18" x 36"	3	1,22	25,2	32
Fondo	49,8x16,9	19 1/2" x 6 3/8"	14	1,01	21,9	32
Fondo	30x60	12" x 24"	4	0,72	15,6	30
Fondo	30x30	12" x 12"	5	0,45	9,5	60
Fondo	30x30	12" x 12"	5	0,45	9,5	60
Fondo	5,5x60	2 1/8" x 24"	12	7,2 mL	8,5	50
Fondo	35x120	13 3/4" x 48"	1	0,42	11,0	64
Fondo	35x120	13 3/4" x 48"	1	0,42	11,8	16
Fondo	35x60	13 3/4" x 24"	2	0,42	10,1	32
Fondo	35x35	13 3/4" x 13 3/4"	2	0,25	6,4	36
Fondo	60x60	24" x 24"	2	0,72	32,5	32
Fondo	60x120	24" x 48"	1	0,72	32,5	36



IN INTERNO

Residenziale, living, aree comuni, condominiali, ed ogni altro ambiente a pavimenti prestabiliti. Si consiglia l'utilizzo di formati con lati non superiori a 120cm.

For new buildings and pre-existing floors.

INTERIORS

Residential, living rooms, common apartment block areas and any other residential (premier) environment. Light Commercial (offices, offices open to the general public, waiting rooms, shops, dining rooms, bars, car showrooms, cinemas, surgeries/clinics).

EXTERIORS

Surfaces that are sheltered (e.g. loggias, covered balconies, etc.) and We recommend the use of sizes that have sides not exceeding 120cm.

For new buildings and refurbishing, pre-existing floors.

IN ESTERNO

A condizione che coperti (in loggia, balconi coperti, ecc.) e perfettamente impermeabile. Si consiglia l'utilizzo di formati con lati non superiori a 120cm.

Intensive commercial, (common areas of hotels, halls, centers, fastfood restaurants, dance clubs, hospitals).

IN INTERNO

Residenziale, living, aree comuni, condominiali, ed ogni altro ambiente a pavimenti prestabiliti. Si consiglia l'utilizzo di formati con lati non superiori a 120cm.

For new buildings and pre-existing floors.

INTERIORS

Residential, living rooms, common apartment block areas and any other residential (premier) environment. Light Commercial (offices, offices open to the general public, waiting rooms, shops, dining rooms, bars, car showrooms, cinemas, surgeries/clinics).

EXTERIORS

Surfaces that are sheltered (e.g. loggias, covered balconies, etc.) and We recommend the use of sizes that have sides not exceeding 120cm.

For new buildings and refurbishing, pre-existing floors.



Facciate ventilate*
Ventilated facades



Rivestimenti termici a cappotto
External wall thermal insulation system



Rivestimenti vasche piscine
Bathtubs and swimming pool cladding



Superfici da rivestire nel settore dell'arredamento
For furniture surfaces

Destinazioni speciali/Special uses: in funzione delle specifiche del progetto, in abbinamento a sistemi costruttivi indicati da Panariagroup e approvati dalla Direzione Lavori/depending on project specifications and in combination with the construction systems recommended by Panariagroup and approved by the Installation Supervisor. *Solo dopo l'applicazione della rete in fibra di vetro/only after the application of fiberglass mesh.

Certificazioni / Certifications



*MARCHIO CE Le DOP sono disponibili sul sito internet/DOP are available on the website leacermiche.com
 **LEED Lea Ceramiche, è membro di GBC Italia, organizzazione che promuove sul territorio italiano la realizzazione di edifici nel rispetto dell'ambiente, della salute e del benessere delle persone che ci vivono e lavorano/Lea Ceramiche is a member of the U.S. Green Building Council; this is an organization that promotes buildings that are environmentally responsible, profitable and healthy places to live and work.
 ***EPD I prodotti Lea Ceramiche possiedono Dichiarazione Ambientale di Prodotto (EPD) specifica di tipo III, certificata da ente terzo indipendente secondo le normative ISO 14025 e EN 15804. Disponibile su richiesta.
 Le ceramiche che produciamo hanno a type III specific Environmental Product Declaration (EPD). This is certified by an independent third party according to ISO 14025 and EN 15804 standards. Available on request.

Impieghi grès porcellanato / Uses



Colophon / Company info

	Alberghi Hotels		Locali pubblici Public spaces
	Abitazioni Housing		Aeroporti Airports
	Bar - Ristoranti Bar - Restaurants		Centri commerciali Malls
	Negozi Shops		Stazioni Train stations

Concept and art direction:
Group Marketing &
Communications —
Panariagroup

LEA CERAMICHE
Via Cameazzo, 21
41042 Fiorano Modenese
Modena Italy
T +39 0536 837811
E info@leaceramiche.it
leaceramiche.com

Panariagroup
Industrie Ceramiche S.p.A.
MILANO
Contract Lab - Milano
Via Brera 30, Milano
Tel +39 02 76011406
showroom_milano@leaceramiche.it

USA
Lea North America, LLC
800 Clanton Road, Suite N
Charlotte, NC 28217
T +1 704 522 6300
E info@leausa.us
www.leausa.us

Impieghi L2 / Uses




	Vialetti Walkways		Parcheeggi Parking areas
	Parchi pubblici - giardini Public parks - gardens		Terrazze Terraces
	Camminamenti piscine Pool decks		Zone industriali Industrial areas
	Stabilimenti balneari Beach resorts		Aree urbane Urban areas

⑤ Slimtech Nextone overview

Colori / Colors




Decori / Decors



Formati / Sizes [E7]

Fondi/Plain Tiles



Disponibile in Slimtech Spikes
 con un rivestimento in
 microbolle in fibra di vetro
 rinforzata con fibre di vetro.
 Available in Slimtech Spikes
 reinforced with fiberglass.



EXPLORE IN 360°
 ON REALLEACERAMICHE.COM

⑤ Gres porcellanato laminato
 Laminated porcelain stoneware
 Spessore/thickness: 6mm



PR O T E C T

SUPERFICIE ANTIBATTERICA
 ANTIMICROBIAL SURFACE
 with Microban®



Lea Ceramiche

⑤ Nextone overview

Colori / Colors




Varianti / Variations




Formati / Sizes [E7]

Fondi/Plain Tiles



Formati speciali/ Special sizes



Varianti/Variations



Mosaici/Mosaics



EXPLORE IN 360°
 ON REALLEACERAMICHE.COM

⑤ Gres porcellanato
 Porcelain stoneware
 Spessore/thickness: 9mm

⑤ Gres porcellanato spessorato
 Extra thick porcelain stoneware
 Spessore/thickness: 20mm



PR O T E C T

SUPERFICIE ANTIBATTERICA
 ANTIMICROBIAL SURFACE
 with Microban®

leaceramiche.com



3-TECH PROJECT